


# TETRA COMPACT-E 130 DIMENSIONS

TC-E 130 5A TC-E 130 5B TC-E 130 5C TC-E 130 5D TC-E 130 5E TC-E 130 5F TC-E 130 5G TC-E 130 5H

|                                        |    |      |      |      |       |      |       |       |       |
|----------------------------------------|----|------|------|------|-------|------|-------|-------|-------|
| L Without Brake with feedback A2       | mm | 147  | 147  | 147  | 187   | 147  | 163   | 163   | 187   |
| L With Brake with feedback A2          | mm | 176  | 176  | 176  | 216   | 176  | 192   | 192   | 216   |
| L Without Brake with feedback A1/E1/A6 | mm | 159  | 159  | 159  | 199   | 169  | 175   | 175   | 199   |
| L With Brake with feedback A1/E1/A6    | mm | 188  | 188  | 188  | 228   | 188  | 204   | 204   | 238   |
| Z Without Brake                        | mm | 94,5 | 94,5 | 94,5 | 134,5 | 94,5 | 110,5 | 110,5 | 134,5 |
| Z With Brake                           | mm | 94,5 | 94,5 | 94,5 | 134,5 | 94,5 | 110,5 | 110,5 | 134,5 |
| D                                      | mm | 22   | 22   | 22   | 19    | 22   | 22    | 22    | 22    |
| A                                      | mm | 55   | 55   | 55   | 48    | 55   | 55    | 55    | 55    |
| C                                      | mm | 47   | 47   | 47   | 40    | 47   | 47    | 47    | 47    |
| M                                      | mm | M8   | M8   | M8   | M6    | M8   | M8    | M8    | M8    |
| N                                      | mm | 19   | 19   | 19   | 16    | 19   | 19    | 19    | 19    |
| F                                      | mm | 36   | 36   | 36   | 25    | 36   | 36    | 36    | 36    |
| W                                      | mm | 8    | 8    | 8    | 6     | 8    | 8     | 8     | 8     |
| T                                      | mm | 7    | 7    | 7    | 6     | 7    | 7     | 7     | 7     |
| V                                      | mm | 8    | 8    | 8    | 6     | 8    | 8     | 8     | 8     |
| R                                      | mm | 18   | 18   | 18   | 15,5  | 18   | 18    | 18    | 18    |

## C2 connection with oil seal option



SEE IT BEFORE IT HAPPENS


**MOTOR  
POWER**  
COMPANY

# TETRA COMPACT-E 130 DIMENSIONS

TC-E 130 5A TC-E 130 5B TC-E 130 5C TC-E 130 5D TC-E 130 5E TC-E 130 5F TC-E 130 5G TC-E 130 5H

|                                        |    |      |      |      |       |      |       |       |       |
|----------------------------------------|----|------|------|------|-------|------|-------|-------|-------|
| L Without Brake with feedback A2       | mm | 147  | 147  | 147  | 187   | 147  | 163   | 163   | 187   |
| L With Brake with feedback A2          | mm | 176  | 176  | 176  | 216   | 176  | 192   | 192   | 216   |
| L Without Brake with feedback A1/E1/A6 | mm | 159  | 159  | 159  | 199   | 169  | 175   | 175   | 199   |
| L With Brake with feedback A1/E1/A6    | mm | 188  | 188  | 188  | 228   | 188  | 204   | 204   | 238   |
| Z Without Brake                        | mm | 94,5 | 94,5 | 94,5 | 134,5 | 94,5 | 110,5 | 110,5 | 134,5 |
| Z With Brake                           | mm | 94,5 | 94,5 | 94,5 | 134,5 | 94,5 | 110,5 | 110,5 | 134,5 |
| D                                      | mm | 22   | 22   | 22   | 19    | 22   | 22    | 22    | 22    |
| A                                      | mm | 55   | 55   | 55   | 48    | 55   | 55    | 55    | 55    |
| C                                      | mm | 47   | 47   | 47   | 40    | 47   | 47    | 47    | 47    |
| M                                      | mm | M8   | M8   | M8   | M6    | M8   | M8    | M8    | M8    |
| N                                      | mm | 19   | 19   | 19   | 16    | 19   | 19    | 19    | 19    |
| F                                      | mm | 36   | 36   | 36   | 25    | 36   | 36    | 36    | 36    |
| W                                      | mm | 8    | 8    | 8    | 6     | 8    | 8     | 8     | 8     |
| T                                      | mm | 7    | 7    | 7    | 6     | 7    | 7     | 7     | 7     |
| V                                      | mm | 8    | 8    | 8    | 6     | 8    | 8     | 8     | 8     |
| R                                      | mm | 18   | 18   | 18   | 15,5  | 18   | 18    | 18    | 18    |

## C2 connection without oil seal option



SEE IT BEFORE IT HAPPENS


**MOTOR  
POWER**  
COMPANY

## TETRA COMPACT-E 130 DIMENSIONS

TC-E 130 5A TC-E 130 5B TC-E 130 5C TC-E 130 5D TC-E 130 5E TC-E 130 5F TC-E 130 5G TC-E 130 5H

|                                        |    |      |      |      |       |      |       |       |       |
|----------------------------------------|----|------|------|------|-------|------|-------|-------|-------|
| L Without Brake with feedback A2       | mm | 147  | 147  | 147  | 187   | 147  | 163   | 163   | 187   |
| L With Brake with feedback A2          | mm | 176  | 176  | 176  | 216   | 176  | 192   | 192   | 216   |
| L Without Brake with feedback A1/E1/A6 | mm | 159  | 159  | 159  | 199   | 169  | 175   | 175   | 199   |
| L With Brake with feedback A1/E1/A6    | mm | 188  | 188  | 188  | 228   | 188  | 204   | 204   | 238   |
| Z Without Brake                        | mm | 94,5 | 94,5 | 94,5 | 134,5 | 94,5 | 110,5 | 110,5 | 134,5 |
| Z With Brake                           | mm | 94,5 | 94,5 | 94,5 | 134,5 | 94,5 | 110,5 | 110,5 | 134,5 |
| D                                      | mm | 22   | 22   | 22   | 19    | 22   | 22    | 22    | 22    |
| A                                      | mm | 55   | 55   | 55   | 48    | 55   | 55    | 55    | 55    |
| C                                      | mm | 47   | 47   | 47   | 40    | 47   | 47    | 47    | 47    |
| M                                      | mm | M8   | M8   | M8   | M6    | M8   | M8    | M8    | M8    |
| N                                      | mm | 19   | 19   | 19   | 16    | 19   | 19    | 19    | 19    |
| F                                      | mm | 36   | 36   | 36   | 25    | 36   | 36    | 36    | 36    |
| W                                      | mm | 8    | 8    | 8    | 6     | 8    | 8     | 8     | 8     |
| T                                      | mm | 7    | 7    | 7    | 6     | 7    | 7     | 7     | 7     |
| V                                      | mm | 8    | 8    | 8    | 6     | 8    | 8     | 8     | 8     |
| R                                      | mm | 18   | 18   | 18   | 15,5  | 18   | 18    | 18    | 18    |

### C3 connection with oil seal option




## TETRA COMPACT-E 130 DIMENSIONS

TC-E 130 5A TC-E 130 5B TC-E 130 5C TC-E 130 5D TC-E 130 5E TC-E 130 5F TC-E 130 5G TC-E 130 5H

|                                        |    |      |      |      |       |      |       |       |       |
|----------------------------------------|----|------|------|------|-------|------|-------|-------|-------|
| L Without Brake with feedback A2       | mm | 147  | 147  | 147  | 187   | 147  | 163   | 163   | 187   |
| L With Brake with feedback A2          | mm | 176  | 176  | 176  | 216   | 176  | 192   | 192   | 216   |
| L Without Brake with feedback A1/E1/A6 | mm | 159  | 159  | 159  | 199   | 169  | 175   | 175   | 199   |
| L With Brake with feedback A1/E1/A6    | mm | 188  | 188  | 188  | 228   | 188  | 204   | 204   | 238   |
| Z Without Brake                        | mm | 94,5 | 94,5 | 94,5 | 134,5 | 94,5 | 110,5 | 110,5 | 134,5 |
| Z With Brake                           | mm | 94,5 | 94,5 | 94,5 | 134,5 | 94,5 | 110,5 | 110,5 | 134,5 |
| D                                      | mm | 22   | 22   | 22   | 19    | 22   | 22    | 22    | 22    |
| A                                      | mm | 55   | 55   | 55   | 48    | 55   | 55    | 55    | 55    |
| C                                      | mm | 47   | 47   | 47   | 40    | 47   | 47    | 47    | 47    |
| M                                      | mm | M8   | M8   | M8   | M6    | M8   | M8    | M8    | M8    |
| N                                      | mm | 19   | 19   | 19   | 16    | 19   | 19    | 19    | 19    |
| F                                      | mm | 36   | 36   | 36   | 25    | 36   | 36    | 36    | 36    |
| W                                      | mm | 8    | 8    | 8    | 6     | 8    | 8     | 8     | 8     |
| T                                      | mm | 7    | 7    | 7    | 6     | 7    | 7     | 7     | 7     |
| V                                      | mm | 8    | 8    | 8    | 6     | 8    | 8     | 8     | 8     |
| R                                      | mm | 18   | 18   | 18   | 15,5  | 18   | 18    | 18    | 18    |

### C3 connection without oil seal option



SEE IT BEFORE IT HAPPENS

**MOTOR  
POWER**  
COMPANY