


TETRA COMPACT-E 130 DIMENSIONS

TC-E 130 5A TC-E 130 5B TC-E 130 5C TC-E 130 5D TC-E 130 5E TC-E 130 5F TC-E 130 5G TC-E 130 5H

L Without Brake with feedback A2	mm	147	147	147	187	147	163	163	187
L With Brake with feedback A2	mm	176	176	176	216	176	192	192	216
L Without Brake with feedback A1/E1/A6	mm	159	159	159	199	169	175	175	199
L With Brake with feedback A1/E1/A6	mm	188	188	188	228	188	204	204	238
Z Without Brake	mm	94,5	94,5	94,5	134,5	94,5	110,5	110,5	134,5
Z With Brake	mm	94,5	94,5	94,5	134,5	94,5	110,5	110,5	134,5
D	mm	22	22	22	19	22	22	22	22
A	mm	55	55	55	48	55	55	55	55
C	mm	47	47	47	40	47	47	47	47
M	mm	M8	M8	M8	M6	M8	M8	M8	M8
N	mm	19	19	19	16	19	19	19	19
F	mm	36	36	36	25	36	36	36	36
W	mm	8	8	8	6	8	8	8	8
T	mm	7	7	7	6	7	7	7	7
V	mm	8	8	8	6	8	8	8	8
R	mm	18	18	18	15,5	18	18	18	18

C2 connection with oil seal option



SEE IT BEFORE IT HAPPENS


**MOTOR
POWER**
COMPANY

TETRA COMPACT-E 130 DIMENSIONS

TC-E 130 5A TC-E 130 5B TC-E 130 5C TC-E 130 5D TC-E 130 5E TC-E 130 5F TC-E 130 5G TC-E 130 5H

L Without Brake with feedback A2	mm	147	147	147	187	147	163	163	187
L With Brake with feedback A2	mm	176	176	176	216	176	192	192	216
L Without Brake with feedback A1/E1/A6	mm	159	159	159	199	169	175	175	199
L With Brake with feedback A1/E1/A6	mm	188	188	188	228	188	204	204	238
Z Without Brake	mm	94,5	94,5	94,5	134,5	94,5	110,5	110,5	134,5
Z With Brake	mm	94,5	94,5	94,5	134,5	94,5	110,5	110,5	134,5
D	mm	22	22	22	19	22	22	22	22
A	mm	55	55	55	48	55	55	55	55
C	mm	47	47	47	40	47	47	47	47
M	mm	M8	M8	M8	M6	M8	M8	M8	M8
N	mm	19	19	19	16	19	19	19	19
F	mm	36	36	36	25	36	36	36	36
W	mm	8	8	8	6	8	8	8	8
T	mm	7	7	7	6	7	7	7	7
V	mm	8	8	8	6	8	8	8	8
R	mm	18	18	18	15,5	18	18	18	18

C2 connection without oil seal option



SEE IT BEFORE IT HAPPENS


**MOTOR
POWER**
COMPANY

TETRA COMPACT-E 130 DIMENSIONS

TC-E 130 5A TC-E 130 5B TC-E 130 5C TC-E 130 5D TC-E 130 5E TC-E 130 5F TC-E 130 5G TC-E 130 5H

L Without Brake with feedback A2	mm	147	147	147	187	147	163	163	187
L With Brake with feedback A2	mm	176	176	176	216	176	192	192	216
L Without Brake with feedback A1/E1/A6	mm	159	159	159	199	169	175	175	199
L With Brake with feedback A1/E1/A6	mm	188	188	188	228	188	204	204	238
Z Without Brake	mm	94,5	94,5	94,5	134,5	94,5	110,5	110,5	134,5
Z With Brake	mm	94,5	94,5	94,5	134,5	94,5	110,5	110,5	134,5
D	mm	22	22	22	19	22	22	22	22
A	mm	55	55	55	48	55	55	55	55
C	mm	47	47	47	40	47	47	47	47
M	mm	M8	M8	M8	M6	M8	M8	M8	M8
N	mm	19	19	19	16	19	19	19	19
F	mm	36	36	36	25	36	36	36	36
W	mm	8	8	8	6	8	8	8	8
T	mm	7	7	7	6	7	7	7	7
V	mm	8	8	8	6	8	8	8	8
R	mm	18	18	18	15,5	18	18	18	18

C3 connection with oil seal option



SEE IT BEFORE IT HAPPENS


**MOTOR
POWER**
COMPANY

TETRA COMPACT-E 130 DIMENSIONS

TC-E 130 5A TC-E 130 5B TC-E 130 5C TC-E 130 5D TC-E 130 5E TC-E 130 5F TC-E 130 5G TC-E 130 5H

L Without Brake with feedback A2	mm	147	147	147	187	147	163	163	187
L With Brake with feedback A2	mm	176	176	176	216	176	192	192	216
L Without Brake with feedback A1/E1/A6	mm	159	159	159	199	169	175	175	199
L With Brake with feedback A1/E1/A6	mm	188	188	188	228	188	204	204	238
Z Without Brake	mm	94,5	94,5	94,5	134,5	94,5	110,5	110,5	134,5
Z With Brake	mm	94,5	94,5	94,5	134,5	94,5	110,5	110,5	134,5
D	mm	22	22	22	19	22	22	22	22
A	mm	55	55	55	48	55	55	55	55
C	mm	47	47	47	40	47	47	47	47
M	mm	M8	M8	M8	M6	M8	M8	M8	M8
N	mm	19	19	19	16	19	19	19	19
F	mm	36	36	36	25	36	36	36	36
W	mm	8	8	8	6	8	8	8	8
T	mm	7	7	7	6	7	7	7	7
V	mm	8	8	8	6	8	8	8	8
R	mm	18	18	18	15,5	18	18	18	18

C3 connection without oil seal option



SEE IT BEFORE IT HAPPENS

**MOTOR
POWER**
COMPANY