


TETRA COMPACT-E 80 DIMENSIONS

TC-E 80 3A **TC-E 80 3B**

L Without Brake with feedback A2	mm	112	138
L With Brake with feedback A2	mm	152	178
L Without Brake with feedback A1/E1/A6	mm	122	148
L With Brake with feedback A1/E1/A6	mm	162	188
Z Without Brake	mm	68	93
Z With Brake	mm	68	93
D	mm	14	19
A	mm	30	35
C	mm	24,5	29,5
M	mm	M5	M6
N	mm	12	16
F	mm	20	25
W	mm	5	6
T	mm	5	6
V	mm	5	6
R	mm	11	15,5

D0 connection with oil seal option




TETRA COMPACT-E 80 DIMENSIONS

TC-E 80 3A

TC-E 80 3B

L Without Brake with feedback A2	mm	112	138
L With Brake with feedback A2	mm	152	178
L Without Brake with feedback A1/E1/A6	mm	122	148
L With Brake with feedback A1/E1/A6	mm	162	188
Z Without Brake	mm	68	93
Z With Brake	mm	68	93
D	mm	14	19
A	mm	30	35
C	mm	24,5	29,5
M	mm	M5	M6
N	mm	12	16
F	mm	20	25
W	mm	5	6
T	mm	5	6
V	mm	5	6
R	mm	11	15,5

D0 connection without oil seal option




TETRA COMPACT-E 80 DIMENSIONS

TC-E 80 3A

TC-E 80 3B

L Without Brake with feedback A2	mm	112	138
L With Brake with feedback A2	mm	152	178
L Without Brake with feedback A1/E1/A6	mm	122	148
L With Brake with feedback A1/E1/A6	mm	162	188
Z Without Brake	mm	68	93
Z With Brake	mm	68	93
D	mm	14	19
A	mm	30	35
C	mm	24,5	29,5
M	mm	M5	M6
N	mm	12	16
F	mm	20	25
W	mm	5	6
T	mm	5	6
V	mm	5	6
R	mm	11	15,5

C2 connection with oil seal option



TETRA COMPACT-E 80 DIMENSIONS

TC-E 80 3A **TC-E 80 3B**

L Without Brake with feedback A2	mm	112	138
L With Brake with feedback A2	mm	152	178
L Without Brake with feedback A1/E1/A6	mm	122	148
L With Brake with feedback A1/E1/A6	mm	162	188
Z Without Brake	mm	68	93
Z With Brake	mm	68	93
D	mm	14	19
A	mm	30	35
C	mm	24,5	29,5
M	mm	M5	M6
N	mm	12	16
F	mm	20	25
W	mm	5	6
T	mm	5	6
V	mm	5	6
R	mm	11	15,5

C2 connection without oil seal option

